
Abrasive paper, self-fastening

PS 77 CK T-ACT



Properties

Bonding agent	Resin
Grain	Aluminium oxide
Coating	Semi-open
Backing	C-paper

Product benefit

New high-performance disc with optimized clogging behaviour - Increased service life due to the new coating, which prevents the adhesion of paint and dust particles - For aggressive grinding at high loads, a flexible and tear-resistant C-latex paper is used in the grit range 60-220

Application

Paint/Varnish/Filler	●
Primer	●
Filler	●
Gel coats	●
Composite materials	●
Plastic	◑

Applications

- Automotive industry
- Boat and shipbuilding
- Wind energy industry
- Furniture industry

Available grits:

16 24 30 36 40 50 **60 80 100 120 150 180 220** 240 280 320 360 400 500 600 800 1000 1200 1500 2000 2500 3000

Diameter in mm	grain	Hole pattern	type of coat.abras.	Packing unit/pcs.	Cat. number
125	60	◯ 0	PS 77 CK	100	353219
125	80	◯ 0	PS 77 CK	100	353224

Klingspor Schleifsysteme GmbH und Co. KG
Hüttenstraße 36 - 35708 Haiger - Germany
Fon + 49 (0) 2773 922-0 Fax + 49 (0) 2773 922-186
sales@klingspor.de - www.klingspor.de

Diameter in mm	grain	Hole pattern	type of coat.abras.	Packing unit/pcs.	Cat. number
125	100	◯ 0	PS 77 CK	100	353221
125	120	◯ 0	PS 77 CK	100	353223
125	150	◯ 0	PS 77 CK	100	353225
125	180	◯ 0	PS 77 CK	100	353222
125	220	◯ 0	PS 77 CK	100	353218
125	60	GLS 5	PS 77 CK	100	353217
125	80	GLS 5	PS 77 CK	100	353216
125	100	GLS 5	PS 77 CK	100	353215
125	120	GLS 5	PS 77 CK	100	353214
125	150	GLS 5	PS 77 CK	100	353213
125	180	GLS 5	PS 77 CK	100	353212
125	220	GLS 5	PS 77 CK	100	353209
125	60	GLS 27	PS 77 CK	100	353220
125	80	GLS 27	PS 77 CK	100	353235
125	100	GLS 27	PS 77 CK	100	353234
125	120	GLS 27	PS 77 CK	100	353233
125	150	GLS 27	PS 77 CK	100	353232
125	180	GLS 27	PS 77 CK	100	353231
125	220	GLS 27	PS 77 CK	100	353211
150	60	◯ 0	PS 77 CK	100	353208
150	80	◯ 0	PS 77 CK	100	353207
150	100	◯ 0	PS 77 CK	100	353210
150	120	◯ 0	PS 77 CK	100	353206
150	150	◯ 0	PS 77 CK	100	353205
150	180	◯ 0	PS 77 CK	100	353204
150	220	◯ 0	PS 77 CK	100	353203
150	60	GLS 1	PS 77 CK	100	353202
150	80	GLS 1	PS 77 CK	100	353201
150	100	GLS 1	PS 77 CK	100	353200
150	120	GLS 1	PS 77 CK	100	353199
150	150	GLS 1	PS 77 CK	100	353198
150	180	GLS 1	PS 77 CK	100	353197
150	220	GLS 1	PS 77 CK	100	353196
150	60	GLS 3	PS 77 CK	100	353195

Klingspor Schleifsysteme GmbH und Co. KG
Hüttenstraße 36 - 35708 Haiger - Germany
Fon + 49 (0) 2773 922-0 Fax + 49 (0) 2773 922-186
sales@klingspor.de - www.klingspor.de

Diameter in mm	grain	Hole pattern	type of coat.abras.	Packing unit/pcs.	Cat. number
150	80	GLS 3	PS 77 CK	100	353194
150	100	GLS 3	PS 77 CK	100	353193
150	120	GLS 3	PS 77 CK	100	353192
150	150	GLS 3	PS 77 CK	100	353191
150	180	GLS 3	PS 77 CK	100	353190
150	220	GLS 3	PS 77 CK	100	353189
150	60	GLS 47	PS 77 CK	100	353188
150	80	GLS 47	PS 77 CK	100	353187
150	100	GLS 47	PS 77 CK	100	353186
150	120	GLS 47	PS 77 CK	100	353185
150	150	GLS 47	PS 77 CK	100	353182
150	180	GLS 47	PS 77 CK	100	353181
150	220	GLS 47	PS 77 CK	100	353180
150	80	GLS 51	PS 77 CK	100	353184
150	100	GLS 51	PS 77 CK	100	353179
150	120	GLS 51	PS 77 CK	100	353183
150	180	GLS 51	PS 77 CK	100	353178

Klingspor Schleifsysteme GmbH und Co. KG
Hüttenstraße 36 - 35708 Haiger - Germany
Fon + 49 (0) 2773 922-0 Fax + 49 (0) 2773 922-186
sales@klingspor.de - www.klingspor.de